EFB START-STOP BATTERY EFB-B20L (12V40Ah)





CHARACTERISTICS

Item		Specifications
Nominal Voltage		12V
Nominal Capacity (20HR)		40Ah
Reserve Capacity		60min
Cold Cranking Amps@0°F (-18°C)		360A
	Length	195mm(7.68inches)
Dimension	Width	126mm(4.96inches)
	Height	222mm(8.74inches)
Approx Weight		10.7kg(23.6lbs)
Terminal		3
Cell layout		0
Hold-Down		BO
Case		Black-PP Material
Cover		Black-PP Material
Handle		TS1

APPLICATIONS

·Car with start-stop system

 $\emptyset 14.7_{-0}^{0}$

POS

•EV/HEV

18±

•Engine start


GENERAL FEATURES

·High capacity and high CCA


- •2x Faster Charge Acceptance than conventional starter batteries
- •2x Higher Cycle Life than conventional starter batteries
- •Strong alloy grids for rugged durability and improved tolerance in extreme temperature conditions

22±2

•OE quality certification







Leoch Europe S.A. @ www.leoch.eu

*Values are subject to variation of +/- 5% in normal manufacturing processes.

Leoch International Technology Ltd. www.leoch.com


noted.Subject to revisions without prior notice. E&OE.

Leoch Batteries Pte Ltd www.leoch.sg

Data above is recommended and the picture is only for battery effect display, Leoch reserve the final right of explanation. © LEOCH. All rights reserved.Trademarks and logos are the property of LEOCH and its affiliates unless otherwise

Leoch Battery Corporation www.leochamericas.com

Publication No.:LB-EFB-B20L-PD-EN-V1.0-20250220





 $\phi 13.0_{-0}^{0}$

 18 ± 1

NEG