AGM START-STOP BATTERY

AGM-B24L (12V45Ah)





CHARACTERISTICS


Item		Specifications
Nominal Voltage		12V
Nominal Capacity (20HR)		45Ah
Reserve Capacity		68min
Cold Cranking Amps@0°F (-18°C)		380A
	Length	236mm (9.29inches)
Dimension	Width	128mm (5.04inches)
	Height	222mm (8.74inches)
Approx Weight		13.7kg (30.2lbs)
Terminal		1
Cell layout		0
Hold-Down		В0
Case		Black-PP Material
Cover		Black-PP Material
Handle		TS1


APPLICATIONS

- ·Car with start-stop system
- •EV/HEV
- Engine start

017.9^{0}_{-0} P₀S NEG

- •Maximum CCA and life
- ·Valve regulated technology
- ·Advanced Absorbed Glass Mat (AGM) technology
- •Top-level safety absolutely no free acid
- •2x Faster Charge Acceptance than conventional starter batteries
- •3x higher cycle life than conventional starter batteries
- •Suit for working in partial state of charge operations (PSoC)
- •OE quality certification





Leoch International Technology Ltd.

noted.Subject to revisions without prior notice. E&OE.

www.leoch.com

www.leoch.sg

Leoch Batteries Pte Ltd

Leoch Battery Corporation

www.leochamericas.com

Leoch Europe S.A. www.leoch.eu

Data above is recommended and the picture is only for battery effect display, Leoch reserve the final right of explanation. © LEOCH. All rights reserved. Trademarks and logos are the property of LEOCH and its affiliates unless otherwise

GENERAL FEATURES

^{*}Values are subject to variation of +/- 5% in normal manufacturing processes.