



Leoch Integrated RESS Solution



Integrated RESS

Introduction

- Scalable from 5 kWh to 320 kWh
- Maximum Flexibility for any Application with up to 64 Modules Connected in Parallel
- Integrated with inverter to avoid the compatibility problem
- Lithium Iron Phosphate (LFP) Battery: Maximum Safety,Life Cycle
 and Power
- Capable of High-Powered Emergency-Backup and Off-Grid Function
- Stack design easy and quick installation
- Self-Consumption Optimization for Residential and Commercial Applications



BATTERY MODULE

- 5.12 kWh per Module
- Modular and Stack Installation Design to simplify the maintenance

Connect up to 64 module in parallel for a maximum size of 320 kWh.

FLEXIBLE, EFFICIENT, SIMPLE

Ψ	
v	
w	
w.	

Plug Connection No Additional Wiring Required

5 - 320 kWh Tailored Sizing for Each Application

•	

Extend Anytime Easily Adapts to New Requirements



High Power Power for Every Application



Integrated RESS

TECHNICAL PARAMETERS

Battery Module	LFeLi-51.2100Ah(5.12 kWh, 51.2 V, 45 kg)							
Number of Modules	1	2	3	4	5	6		
Usable Energy [1]	5 kWh	10 kWh	15 kWh	20 kWh	25 kWh	30 kWh		
Max Cont. Output Current [2]	100 A	200 A	300 A	400 A	500 A	600 A		
Nominal Voltage	51.2 V							
Operating Voltage	40-57.6 V							
Operating Temperature	-10 °C to +50°C							
Battery Cell Technology	Lithium Iron Phosphate							
Communication	CAN / RS485							
Enclosure Protection Rating	IP55							
Round-Trip Efficiency	≥95%							
Scalability [3]	alability [3] Max. 64 Modules in Parallel (320 kWh)							
			U	N38.3				
Applications	ON Grid + Backup / OFF Grid							
Warranty [4]	10 Years							

China Sales Office

5th Floor, Xinbaohui Bldg., Nanhai Blvd., Nanshan, Shenzhen, China. 518052 Tel: +86-755-86036060 (100 lines) Fax: +86-755-26067269 E-mail:export@leoch.com

North America Sales Office

19751 Descartes Foothill Ranch, CA 92610, USA Tel: 949-588-5853 Fax: 949-588-5966 E-mail: sales@leoch.us

HongKong Sales Office

Workshop C, 33/F, TML Tower, No. 3 Hoi Shing Road, Tsuen Wan, New Territories, Hong Kong Tel: +852 35786666 Fax: +44 1452 690125 E-mail: sales.hk@leoch.com

UK Sales Office

9B Wheatstone Court. Waterwells, Business Park, Gloucester, GL2-2AQ, UK United Kingdom Tel: +44(0) 1452 729428 / 1452 729696 Fax:+44 1452 690125 E-mail: Sales.Europe@leoch.com

Singapore Sales Office

Email: sales.sg@Leoch.com

EMEA Sales Office

1 Deligiorgi St., 121 31 Athens,

Greece Tel: +30 210 5760318 (2 lines)

E-mail: support_EMEA@leoch.com

No. 1 Tech Park Crescent, Singapore 638131 Tel: +65 68636078

Fax: +65 6863 6079

Australia Tel: 02 9756 0950 E-mail: sales.au@leoch.com

India Sales Office

Australia Sales Office

2/29 Tarlington Place, Smithfield. NSW 2164

Shed no.A-53(b), 2nd Stage of Peenya Industrial Area, Bangalore North Taluk, Bangalore-560058, India Tel: +91-80-23440018/23440019 Fax: +91-80-23440017 E-mail: indiasales@leoch.com



Http://www.leoch.com Http://www.leoch.us © 2021 LEOCH. All rights reserved.

Trademarks and logos are the property of LEOCH and its affiliates unless otherwise noted.

Subject to revisions without prior notice.

Publication No.: LB-PLH+C 170FT-PD-EU-V1.0-202103